REPUBLIKA E KOSOVËS-REPUBLIKA KOSOVA-REPUBLIC OF KOSOVA
QEVERIA E KOSOVËS-VLADA KOSOVA-GOVERNMENT OF KOSOVA
MINISTRIA E SHËNDETËSISË-MINISTARSTVO ZDRAVLJA-MINISTRY OF HEALTH
Njësia Org. / Org.Jedinica / Org Unit 09
Nr.Prot: / Broj Prot: / Prot.No 05-6164
Nr.i faqeve / Br.stranica / No.pages -22-
Data: / Datum: / Date: 09/08/2024
Prishtinë / a

Republika e Kosovës

Republika Kosova - Republic of Kosovo

Qeveria – Vlada - Government

Ministria e Shëndetësisë - Ministarstvo zdravstva - Ministry of Health

Divizioni i Prokurimit/Divizia Nabavke/Procurment Division

KONTRATË PUBLIKE

FURNIZIM

Titulli: "Furnizim me pajisje te IT-se për nevojat e MSh-se"

Numri i kontratës[1]: 206-24-4729-1-3-6/C691

Numri i Prokurimit: 206-24-4729-1-3-6

Operatori ekonomik: **Pattern SH.P.K.**

NUI: 811976903

[1] Ju lutemi referojuni këtij numri të kontratës në dokumentet e faturimit dhe pagesës, procedurat dhe transaksionet që lidhen me thesarin.

MINISTRIA E SHËNDETËSISË, (në vazhdim "Autoriteti Kontraktues"), në njërën anë; dhe

Pattern SH.P.K., Rruga Ruzhdi Shabani, nr 47, Lipjan, (ne vazhdim "Furnizuesi"), ne anën tjetër, janë pajtuar te lidhin një kontrate publike për furnizimet e shënuara me poshtë:

Furnizim me pajisje te IT-se për nevojat e MSh-se me numër identifikues: **206-24-4729-1-3-6**

Neni 1 Lënda

1.1 Lënda e kontratës do të jetë: Furnizim me pajisje te IT-se për nevojat e MSh-se.

Nr.	*Grupi*
1	**Furnizim me pajisje te IT-se për nevojat e MSh-se**

1.2 Kontrata hynë në fuqi me nënshkrimin nga te dyja palët dhe përfundon pas **30** ditë.

1.3 Afati kohor i performances nuk mund të jetë më shumë se 30 ditë nga data e marrjes së urdhëreses.

1.4 Vendi i dërgimit të furnizimeve do të jetë: **Ministrisë se Shëndetësisë**

1.5 Incotermi i aplikueshëm do të jetë DDP[2] (Detyra e Dërguar e Paguar).

Neni 2 Ligji i aplikueshëm

2.1 Ligji i zbatueshëm do të jetë sipas Nenit 40 të Ligjit Nr. 04/L-042 për Prokurimin Publik të Republikës se Kosovës, i ndryshuar dhe plotësuar me ligjin Nr. 04/L-237, ligjin Nr. 05/L-068 dhe ligjin Nr. 05/L-092 Për çështjet që nuk mbulohen me dispozita të kontratës, zbatohen ligjet në fuqi në Kosovë. Juridiksioni do të jetë gjykata përkatëse në Prishtinë.

Neni 3 Origjina

3.1 Furnizuesi duhet të dorëzojë një certifikatë të origjinës së furnizimeve, më së voni atëherë kur e kërkon pranimin e përkohshëm të furnizimeve. Mosveprimi sipas këtij kushti mund të ketë si rezultat ndërprerjen e kontratës.

Neni 3 Çmimi

Nr. Rendor	Emertimi I Artikullit	Njësia	Sasia	ÇMIMI PËR NJËSI PA TVSH €	TVSH (%)	ÇMIMI PËR NJËSI ME TVSH €	ÇMIMI TOTAL ME TVSH €	Koha e Dërgesës max.30 ditë
1	Video Pajisja(matrix)							
	Pajisja duhet të ketë minimum: 2 HDMI hyrje(të përkrah deri në 2K rezolucionin), 1 VGA hyrje dhe një USB-C(USB-C nuk është mandatorë mund te afrohet edhe konvertuesi nga UBS-C në HDMI), të ketë mundësin për shfaqjen e me shume se në një 1 ekrani në të njëjtën kohë, pajisja duhet të jete e centralizuar dhe duhet përkrah hyrjet nga tavolina.	Copë	1	€ 2,023.73	18	€ 2,388.00	€ 2,388.00	30 DITË
2	Audio Pajisja(Per dhome te takimeve/konferencave)							
	Pajisja duhet të ketë minimumi 2 dalje për altoparlantë(altoparlantët duhet ofruar me ketë zgjidhje), hyrja duhet të përkrahet edhe nga Video pajisjet të lart cekura dhe minimumi te ketë hyrja per 2 mikrofona.	Copë	1	€ 583.05	18	€ 688.00	€ 688.00	30 DITË
3	Priza per tavolin							
	Priza duhet te ketë HDMI hyrje, VGA hyrje, USB-C hyrje (USB-C nuk është mandatorë mund te afrohet edhe konvertuesi nga UBS-C në HDMI), 2 USB A, audio hyrje(përkrahje/lidhje për/me pajisjet e lart cekura)	Copë	2	€ 330.51	18	€ 390.00	€ 780.00	30 DITË
4	Projector Screen(Perdeja)							
	Të ketë gjatësi minimum prej 4 metra (Widescreen) me mundësi të fshihet(e motorizuar lart-osht) te kete edhe dirigjues nga larg.	Copë	1	€ 745.76	18	€ 880.00	€ 880.00	30 DITË
5	USB 3.1 Flash drive 64GB-300MB/s	Copë	100	€ 6.78	18	€ 8.00	€ 800.00	30 DITË
							Totali (DDP):	5,536.00

[2] DDP – Detyra e Dërguar e Paguar- Incoterms 2010 Oda Ekonomike Ndërkombëtare

3.1 Cmimi total i kontratës do të jetë: **5,536.00 €**; [Pesëmijë e pesëqind e tridhjetë e gjashtë] Euro.

3.2 Çmimi i përmendur në Nenin 3.1 më sipër duhet të jetë e vetmja pagesë që Autoriteti Kontraktues i ka borxh Operatorit Ekonomik sipas kontratës. Ai duhet të jetë i prerë dhe të mos i nënshtrohet ndryshimeve gjatë ekzekutimit të kontratës (në përjashtim të çmimeve të atyre artikujve që i nënshtrohen ndryshimit të çmimit sipas berzës përkatëse, nëse aplikohet).

3.2 Origjina e mallrave do të përcaktohet sipas Kodit të Doganave të Bashkësisë Evropiane (Community Customs Code-) ose sipas marrëveshjeve ndërkombëtare të cilat i ka nënshkruar vendi në fjalë.

Neni 4 Pagesat

4.1 Pagesa do të bëhet në Euro. Autoriteti Kontraktues do të paguaj shumën totale te pagesës pas pranimit të tërë dërgesës.

4.2 Pagesat e detyrimeve sipas një fature të lëshuar nga Operatori Ekonomik duhet të paguhet brenda jo më shumë se 30 ditësh nga data në të cilën kërkesa e pranueshme për pagesë është regjistruar nga departamenti përkatës. Data e pagesës do të jetë data në të cilën debitohet llogaria e institucionit. Kërkesa për pagesë nuk do të jetë e pranueshme nëse nuk plotësohen një ose më shumë nga kërkesat thelbësore.

Neni 5 Marrëveshjet lidhur me tatimin dhe doganën

5.1 Operatori Ekonomik është përgjegjës për të gjitha detyrimet dhe taksat në përputhje me Ligjin e Republikës së Kosovës.

5.2 Të gjitha taksat dhe detyrat e tjera doganore konsiderohen se janë të përfshira në çmimin e kontratës.

Neni 6 Kualiteti

6.1 Kualiteti I furnizimeve duhet në të gjitha aspektet të plotësoj specifikimet teknike të parashtruara në Dosjen e Tenderit.

Neni 7 Garancioni

7.1 Garancioni do të mbetet valid për 12 muaj, pas pranimit të furnizimeve.

Neni 8 Vonesat në ekzekutim

8.1 Nëse Operatori Ekonomik me përgjegjësinë e tij nuk arrin t'i dorëzojë ndonjë ose të gjitha mallrat brenda limiteve kohore të specifikuara në kontratë, Autoriteti Kontraktues, pa njoftim zyrtar dhe pa paragjykim ndaj kompensimeve tjera të tij sipas kontratës, do të ketë të drejtë, për secilën ditë që kalon ndërmjet skadimit të periudhës së kontratës dhe datës aktuale të përfundimit, t'i marrë dëmet e likuiduara të barabarta me 0,25% në ditë të vlerës së furnizimeve të pa dorëzuara deri në një maksimum prej 10 % të vlerës totale të kontratës.

Neni 9 Inspektimi dhe testimi

9.1 Autoriteti kontraktues do të ketë të drejtë që herë pas here të inspektojë, kontrollojë, masë dhe testojë komponentët, materialet, dhe mjeshtërinë, dhe të kontrollojë përparimin e përgatitjes, fabrikimit apo prodhimit të çfarëdo artikulli që përgatitet, fabrikohet ose prodhohet për t'u dorëzuar sipas kontratës, në mënyrë që të përcaktojë nëse komponentët, materialet dhe mjeshtëria kanë cilësinë dhe sasinë e kërkuar.

Neni 10 Nën-kontraktimi

10.1 Një nënkontratë do të jetë e vlefshme vetëm nëse është një marrëveshje me shkrim me të cilin Operatori Ekonomik i beson kryerjen e një pjese të kontratës së tij një pale të tretë. Operatori Ekonomik nuk duhet të nënkontraktojë pa autorizim paraprak me shkrim nga Autoriteti Kontraktues. Autoriteti Kontraktues do të njoftojë Operatorin Ekonomik për vendimin e tij brenda 5 ditëve nga marrja e njoftimit, duke i paraqitur arsyet e veta nëse nuk lëshohet autorizimi.

Neni 11 Ndërprerja e Kontratës nga Autoriteti kontraktues

11.1 Autoriteti kontraktues mundet që, pasi t'i japë Operatorit Ekonomik shtatë ditë paralajmërim, ta ndërpresë kontratën në ndonjërin nga rastet në vijim: a) Kur operatori ekonomik nuk arrin t'i realizoj obligimet e veta sipas kontratës; b) Dështon në ekzekutimin e kontratës në afatin e caktuar; c). Refuzon urdhrat administrativ të autoritetit kontraktues; d) Ia jep dikujt kontratën apo nënkontratën pa autorizim nga autoriteti kontraktues; e). Falimenton; f). Është dënuar nga një gjykatë për një shkelje që ka të bëjë me sjellje profesionale, përmes një gjykimi që ka fuqinë e *res-judikata*; g) Operatori ekonomik i është nënshtruar një gjykimi që ka forcën e *res judicata* për mashtrim, korrupsion, përfshirje në ndonjë organizatë kriminale ose ndonjë aktivitet tjetër ilegal që

i dëmton interesat e përgjithshme financiare; h) shfaqet ndonjë paaftësi tjetër ligjore që i pengon realizimit të kontratës.

Neni 12 Ndërprerja e Kontratës nga Operatori Ekonomik

12.1 Operatori Ekonomik, pasi e ka paralajmëruar Autoritetin Kontraktues 14 ditë paraprakisht, mund ta ndërpresë kontratën nëse Autoriteti kontraktues: a) Nuk arrin t'i paguajë Operatorin Ekonomik shumën që duhet të paguhet brenda periudhës së saktësuar me kontratë; b) vazhdimisht nuk arrin t'i plotësojë obligimet e veta me kontratë; c) si rezultat i forcës madhore, Operatori Ekonomik nuk është në gjendje për të kryer një pjesë materiale të kontratës për më shumë se 180 ditë, për arsye që nuk janë specifikuar në kontratë ose që nuk i atribuohen të Operatorit Ekonomik.

Neni 13 Zgjidhja e mosmarrëveshjeve me procedurë gjyqësore

13.1 Nëse nuk mund të arrihet zgjidhje brenda 30 ditësh nga fillimi i procedurës miqësore për zgjidhje të mosmarrëveshjes, secila palë mund të kërkojë ose vendim nga gjyqi, ose vendim arbitrimi.

13.2 Çdo mosmarrëveshje ndërmjet palëve të cilat mund të lindin gjatë ekzekutimit së kësaj kontrate dhe se nuk është e mundur të zgjidhet ndryshe ndërmjet palëve do të dorëzohet në *[specifiko gjykatën kompetente]* në pajtim me ligjin e Kosovës.

Neni 14 Komunikimi

14.1 Çdo komunikim me shkrim në lidhje me këtë Kontratë ndërmjet Autoritetit Kontraktues dhe Operatorit Ekonomik duhet jap Titullin e kontratës dhe numrin ei identifikimit, dhe duhet të dërgohet me postë, faks, e-mail ose me dorë.

E hartuar në gjuhen Shqipe [3] në tri origjinale, dy origjinale për Autoritetin Kontraktues dhe një origjinal për Operatorin Ekonomik.

Për Autoritetin Kontraktues		**Për Furnizuesin**	
Emri:	**Berat Marmullaku**	**Emri:**	Egzon Rizani
Pozita:	Zyrtar përgjegjës i prokurimit	**Pozita:**	Person i autorizuar
Nënshkrimi:		**Nënshkrimi:**	
Data:	09.08.2024	**Data:**	09.08.2024
Vula:		**Vula:**	SH.P.K. PATTERN 811976903 LIPJAN

[3] Gjuha do të jetë gjuha e përdorur nga tenderuesi në tenderin e tij.

Prokurimi: 206-24-4729-1-3-6

Nr i brendshëm:

Tituli: Furnizim me pajisje te IT-se për nevojat e MSh-se

1 Furnizim me pajisje te IT-se për nevojat e MSh-se

Kodi i tenderit: 05010

Data: 24.05.2024

Lista e dokumenteve të tenderit mbështetëse

Nr.	Dokument
1.	1. Dokumentat e Biznesit.pdf
2.	2. Deklarata Nen Betim.pdf
3.	3.Deklaratat sipas DT-se.pdf
4.	4. DEKLARATA PËR GARANCION DHE AFATIN E LIFERIMIT TË PAJISJEVE.pdf
5.	5.Lista e punve te perfunduera 2022-2024 dhe referncat.pdf
6.	6. Specfikat Teknike.pdf

Përshkrimi i çmimeve

Nr	Emërtimi i grupit	Dokumenti
1.	Furnizim me pajisje te IT-se për nevojat e MSh-se	Pershkrimi i Çmimeve.pdf

Pjesët e tenderit që do të dorëzohen ndaras:

FORMULAR PËR DORËZIMIN E TENDERIT

Pjesa I. Formulari i Tenderit

Numër të Prokurimit: 206-24-4729-1-3-6

Titulli i kontratës: Furnizim me pajisje te IT-se për nevojat e MSh-se

Si përgjigje ndaj letrës suaj të ftesës për të tenderuar për kontratën e mësipërme, ne, të poshtë nënshkruarit, deklarojmë që:

1. i kemi kontrolluar dhe pranuar plotësisht përmbajtjet e dosjes së tenderit. Ne pranojmë dispozitat e saj në tërësi, pa rezervim ose kufizim.

2. Ne ofrojmë të dorëzojmë, në pajtim me kushtet e dosjes së tenderit dhe afatet kohore të paraqitura, pa rezervë apo kufizim:

1 Furnizim me pajisje te IT-se për nevojat e MSh-se

3. Çmimi total i tenderit është:

5,536.00 EUR

Dhe në fjalë [*shëno çmimin e tenderit në fjalë Euro*]

4. Ky tender është valid për një periudhë prej ose muaj: ose dite: **30** nga data finale për dorëzim të tenderëve.

5. Nëse tenderi jonë pranohet, ne marrim përsipër të sigurojmë një siguri të ekzekutimit para nënshkrimit të kontratës

6. Ne e bëjmë këtë kërkesë, për këtë tender [*shëno numrin e Pjesës, nëse aplikohet*] si partner në konsorcium të udhëhequr nga [*shëno emrin e udhëheqësit*]. Ne konfirmojmë që nuk jemi duke tenderuar për të njëjtën kontratë me ndonjë formular tjetër. Konfirmojmë, si partner në konsorcium, se të gjithë partnerët, bashkërisht dhe veç e veç, janë të detyruar me ligj për realizim të kontratës; se partneri kryesor është i autorizuar të obligojë dhe të marrë udhëzime për secilin anëtar dhe në emër të secilit anëtar që realizimi i kontratës, duke përfshirë edhe pagesat, është përgjegjësia e partnerit kryesor, dhe se të gjithë partnerët në ndërmarrjen e përbashkët/konsorcium janë të obliguar të mbeten në ndërmarrjen e përbashkët/konsorcium gjatë tërë periudhës së realizimit të kontratës.

7. Ne do ta informojmë Autoritetin kontraktues menjëherë nëse ka ndonjë ndryshim në rrethanat e mësipërme në cilëndo fazë gjatë implementimit të kontratës. Gjithashtu ne e dimë dhe pranojmë që të gjitha informatat e pasakta ose jo të plota të cilat jepen me qëllim në këtë konkurrim, mund të kenë si rezultat përjashtimin tonë nga kjo dhe nga kontratat tjera të financuara nga BKK

8. Theksojmë që Autoriteti kontraktues nuk është i obliguar të vazhdojë me këtë ftesë dhe që e rezervon të drejtën për të dhënë vetëm një pjesë të kontratës. Ai nuk do të shkaktojë detyrime ndaj

Logitech Rally

Logitech® Rally offers an Ultra-HD imaging system, delivering brilliantly sharp video, outstanding color, and exceptional optical accuracy at resolutions up to 4K. The modular audio system brings crisp, clear audio and unmatched voice clarity to the table.

Rally comes standard with one speaker and one mic pod for medium and large sized meeting rooms. For larger spaces with 14 participants or more, Rally Plus offers two mic pods and two speakers for greater versatility out of the box.

Rally's modular audio components mean that speakers and mic pods can be placed wherever they are needed, achieving full audio coverage in your meeting space. Rally supports up to seven mic pods in total, helping you create the perfect audio configuration for your space.

Rally features RightSense™ proactive technologies, which make better meetings easy and automatic. RightSight™ auto-frames participants no matter their distance from the lens, RightLight™ prioritizes faces over environment to render natural-looking skin tones, while RightSound™ enhances vocal clarity by suppressing background noise, auto-leveling voices, and focusing on active speakers. RightSense is compatible with most any video conferencing application that works with USB devices, including Google® Hangouts™ Meet, Microsoft® Skype® for Business and Teams, and Zoom.

Elegantly designed with premium finishes, thoughtful cable management, and modular audio, Rally integrates beautifully into any room design.

FEATURES & BENEFITS

VIDEO

Exceptional Video Quality
With an Ultra-HD imaging system, Rally delivers brilliantly sharp video, outstanding color, and exceptional optical accuracy at resolutions up to 4K.

Adaptive Pan, Tilt and Zoom
The smooth PTZ motor adjusts pan and tilt speed with the amount of zoom. The result: Faster camera movement when zoomed out for quick framing and slower camera movement when zoomed in for more control.

Sleek Industrial Design
The premium PTZ camera is elegantly finished in matte black and slate gray metal trim, complemented by sleekly designed audio components and accessories that look great in any room.

AUDIO

Advanced Modular Audio
Rally delivers sound that's natural, crisp, and highly intelligible. Exquisitely sensitive Mic Pods ensure that everyone in the meeting can be clearly heard while stand-alone speakers fill larger rooms with rich, life-like sound.

Front-of-Room Audio
Rally speakers are designed for placement at the front of the room. With mic pods on the table and speakers at the display, voices and video come from a natural direction — and never from behind you — so conversations feel more natural and lifelike.

Up to 7 Mic Pods
For large meeting rooms, add Rally Mic Pods to expand audio coverage and provide convenient access to mute controls. Each pod adds coverage for six additional participants, perfect for equipping large meeting spaces and boardrooms.

CONNECTIVITY & USAGE

Smart Cabling and Content Sharing
With a Display Hub and Table Hub to minimize cross-room cabling, Rally components and the meeting computer remain securely out of sight.

Loud and Clear
The built-in amplifiers in Rally Display Hub can power up to two Rally Speakers, providing rich sound even in larger rooms.

Optional Flexible Mic Pod Cabling
Rally Mic Pod Hub makes it easy to minimize cross-table cabling with three connectors for Rally Mic Pods or additional Mic Pod Hubs, helping participants reposition individual pods or to bring mute control within easy reach.

Optional Mounting Kit
Add the Rally Mounting Kit to streamline installation of each component with custom brackets and mounting hardware.

RIGHTSENSE TECHNOLOGIES AND DESIGN INNOVATIONS

Integrated Logitech RightSense technologies, built into Rally, automate a better user experience. RightSight perfectly auto-frames participants no matter their distance from the lens. RightLight prioritizes faces over environment to render natural-looking skin tones while RightSound enhances vocal clarity by suppressing background noise, auto-leveling voices, and focusing on active speakers to support better meetings.

RightSight
Logitech RightSight camera control technology automatically moves the lens and adjusts the zoom so no one gets left out of the picture. RightSight detects human figures, not just faces, to ensure that meeting participants remain in view and optimally framed on-screen.

RightLight
Logitech RightLight with Wide Dynamic Range (WDR) helps everyone look their best on camera, regardless of lighting conditions. RightLight reduces video noise, optimizes light balance, and fine-tunes color and saturation for natural results across all skin tones.

RightSound
Logitech RightSound is a suite of audio processing technologies and design innovations that deliver enterprise-class sound to video conferences. Optimized for the human voice, RightSound reduces unwanted vibrations and noise, and zeroes in on the active speaker to convey their every word with remarkable clarity.

ROOM SETUP DIAGRAMS

Rally



UP TO 10 SEATS

Rally Plus



UP TO 16 SEATS

Rally Plus



UP TO 46 SEATS

ACCESSORIES

RALLY SPEAKER

Rally supports up to 2 Rally Speakers for larger rooms

RALLY MIC POD

Rally supports up to 7 Rally Mic Pods for expanded audio coverage in larger rooms

OPTIONAL RALLY MIC POD HUB

Connect 1 to 3 Rally Mic Pods or additional Mic Pod Hubs for flexible single-wire cabling

OPTIONAL RALLY MOUNTING KIT

Rally Mounting Kit with cable retainers and mounting brackets for Rally Camera, Rally Speakers (x2), Table Hub, and Display Hub

TECH SPECS

RALLY CAMERA

Ultra-HD imaging system supports:
4K, 1440p, 1080p, 900p, 720p, and SD at 30fps
1080p, 720p at 30 fps and 60 fps

Smooth motorized pan, tilt and zoom

Pan: ±90°

Tilt: +50°/-90°

15x HD zoom

90° field of view

Adaptive pan and tilt speed up to 70°/second (slows when zoomed in for easier control)

Automatic inversion detection to correct image orientation and camera controls when mounted upside down

Autofocus

3 camera presets

Kensington® security slot

Video mute/unmute LED indicator

Standard tripod thread

Lens parks at -90° in sleep mode for assured privacy

RALLY MIC POD

Pickup range: 15 ft/4.5m diameter

Four microphones with eight beamforming elements

Mute button with LED status indicator

Captive cable: 9.6 ft (2.95m)

Daisy chain up to 7 Rally Mic Pods

Recommended participants:
Rally (one Mic Pod): 10
Rally Plus (two Mic Pods): 16
Additional participants per Mic Pod: 6
Recommended participants for Rally with 7 Mic Pods: 46

RALLY SPEAKER

High-performance 3" (76mm) driver

Patent pending suspension system eliminates vibration-induced camera shake and audio interference

Mini XLR cable (9.6 ft (2.95m)) connects to Rally Display Hub for both signal and power

RALLY TABLE HUB

Single cable (CAT6A) connection to Rally Display Hub (16.4 ft (5m) CAT6A Ethernet cable included, supports customer-supplied cables up to 164 ft (50 m))

Active speaker detection: analyzes audio from up to 7 Mic Pods and 56 beams every 8ms

12 Pin connector for Rally Mic Pod

HDMI Type A for wired content sharing

HDMI Type A for display

Power input

USB Type C (Ultra HD/4K capable)

USB Type A (reserved for future capability)

USB Type B (connects to meeting room computer)

RJ45 (Ethernet)

Bluetooth® wireless technology

RALLY DISPLAY HUB

HDMI Type A (x2) (connects to displays)

Power input

USB C (connects to Rally Camera)

USB Type B (connects to meeting room computer)

RJ45 (connects to Table Hub)

Mini XLR (x2) (connects to Rally Speakers)

Powers one or two Rally Speakers

REMOTE CONTROL

RF remote control (line of sight not required)

CR2032 batteries (included)

CABLES/POWER

Camera to Display Hub
6.5 ft (2m) USB 3.1 Type C to USB Type C 3.1

Conference Room Computer to Display or Table Hub
6.5 ft (2m) USB 3.1 Type A to USB Type B

Display Hub to Table Hub
16.4 ft (5m) CAT6A Ethernet cable (supports customer-supplied cables up to 164 ft (50 m)

Display Hub to Speaker (x2)
9.6 ft (2.95m) Mini XLR (supports customer-supplied extension cables up to 9.8 ft (3m))

Conference Room Computer to Displays (x2)
6.5 ft (2m) HDMI A

Mic Pod
9.6 ft (2.95m): Hardwired with 12 pin connector

Power Outlets to Power Supplies (x2)
3.2 ft (1m)

Power Supplies to Table Hub/Display Hub (x2)
4.9 ft (1.5m)

RIGHTSENSE TECHNOLOGIES

RightLight with Wide Dynamic Range (WDR)

RightSight automatic camera control[1]

RightSound Mic Matrix

RightSound Anti-Vibration Speakers

COMPATIBILITY AND INTEGRATIONS

Plug-and-play USB connectivity

Certified for Skype for Business and ready for Teams

Certified for Google Hangouts Meet Hardware

Zoom Certified

Cisco Compatible

Compatible with BlueJeans, BroadSoft®, GoToMeeting®, Vidyo™, and other video conferencing, recording, and broadcasting applications that support USB cameras

PRODUCT SPECIFICATIONS

Rally
Part #: 960-001217
Price: $1999
UPC: 097855140203

Rally Plus
Part #: 960-001225
Price: $2499
UPC: 097855140227

Rally Speaker
Part #: 960-001230
Price: $249
UPC: 097855142962

Rally Mic Pod
Part #: 989-000430
Price: $349
UPC: 097855142955

Rally Mic Pod Hub
Part #: 939-001647
Price: $249
UPC: 097855143143

Rally Mounting Kit
Part #: 939-001644
Price: $149
UPC: 097855142979

SOFTWARE DOWNLOADS

Logitech Camera Settings software

WARRANTY

2-year limited hardware warranty

INSIDE THE BOX

Rally Camera
Speaker: 1 (Rally) or 2 (Rally Plus)
Mic Pod: 1 (Rally) or 2 (Rally Plus)
Table Hub
Display Hub
2 x Power Supplies
Remote Control
USB C to C cable
USB A to B cable
CAT6A
2 x HDMI A to A cable
Documentation

PRODUCT DIMENSIONS

Rally Camera
7.19" x 5.98" x 5.98"
182.5 mm x 152 mm x 152 mm

Rally Speaker
4.05" x 17.67" x 3.15"
103mm x 449mm x 80mm

Rally Mic Pod
0.83" x 4.01" x 4.01"
21mm x 102mm x 102mm

Rally Table Hub
1.57" x 6.93" x 5.43"
40mm x 176mm x 138mm

Rally Display Hub
1.57" x 8.11" x 7.05"
40mm x 206mm x 179mm

Rally Mic Pod Hub
0.63" x 4.01" x 4.01"
16mm x 102mm x 102mm

SYSTEM REQUIREMENTS

UVC/plug-and-play compatible
Windows® 10, 8.1, 7
macOS® 10.10 or later
Chrome OS™

[1]RightSight is enabled by a software download with initial support for Windows® 10. Please see www.logitech.com/rightsight for availability.

www.logitech.com/rally

To order, contact your reseller or call us at 800-308-8666

Published October 2018

Logitech Inc. 7700 Gateway Blvd., Newark, CA 94560

© 2018 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered.

All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.

Multifunctional Jack Socket Multifunctional Jack with VGA Connection Connection 3.5mm Jack US Free Connection Box Standard Mailbox+adapter USB 3.2 Gen 1 / USB 3.1 Gen 1 / USB 3.0 / USB 2.0 / USB 1.1

OKUT

ESMART Professional MIMOTO Motor Screen 180''

ESMART Professional MIMOTO Motor Screen 180''

The ESMART Professional MIMOTO Electric Motor Screen offers a wide range of features with the highest quality of materials and workmanship.

The elegant slimline tetragon housing, the ESMART PerfectWhite 2 canvas cloth and the extensive accessory package including a programmable remote control make this product the ideal screen for home cinema, presentation, school and business.

ESMART PerfectWhite 2 Canvas Cloth

The three-layer diffuse-matt white canvas fabric ESMART PerfectWhite 2 ensures a brilliant and high-contrast image. The black back of the screen (acoustics: white) prevents so-called double vision. By optimizing the screen surface for LED, LCD, and DLP projectors, this screen is suitable for all home and business applications. The high viewing angle is achieved by distributing the incoming light evenly in all directions. The projection always appears evenly illuminated, high-contrast and colour-intensive without brighter or darker areas.

ESMART Slimline Tetraragon Enclosure

This electric screen can be attached to the ceiling or wall. With the help of the detailed multilingual manual, installation is quick and easy.

ESMART RC-IR-2 Programmable Infrared Remote Control

The MIMOTO screen is controlled either via the wall control or via the infrared remote control. With the remote control, you can easily and conveniently save the export length permanently. With the ESMART infrared remote control, you can teach any learnable universal remote control. This allows you to control your home cinema with just one remote control.

ESMART Professional MIMOTO Motor Screen 180''

The **back of** the canvas fabric is **black** (acoustic: white) and opaque, which keeps the projected image **bright and colour-intensive** on the front and prevents so-called **double vision**.

With the help **of the programmable remote control,** you can operate the screen comfortably. It is even possible to **set and save** the **export length** of the canvas fabric with the remote control.

The **gain factor** indicates how strongly the light is focused. The value of **1.1** (for white and 0.9 for grey screens) ensures an **even distribution of light** in all directions without any loss of brightness when viewed from the side, thus enabling a **wide viewing angle of 150°**.

ESMART Professional MIMOTO Motor Screen 180''



Heimkino

Office



Gaming

Events



ESMART Professional MIMOTO Motor Screen 180''

Future-proof! Whether **8K, 4K, Ultra HD, Full HD or HD standard** - with the ESMART MIMOTO screen you can use all current and classic resolution standards.

The use of the ESMART MIMOTO screen is made particularly **comfortable** by the **particularly long black lead** of 50 or 30 cm. For example, ceiling mounting is often possible without removing the canvas housing, without the image being too high later.



ESMART Professional MIMOTO Motor Screen 180"

The matte-diffuse ESMART PerfectWhite 2 canvas cloth consists of several layers. This results in a variety of advantages:

- Water repellent
- Washable
- Mold resistant
- Opaque
- Flame retardant

You can make changes to the **export length** of the canvas fabric particularly **quickly and easily** using the outward-facing adjustment points. On the left side you control the export length of the canvas fabric. On the right side, you control the indentation stop.

Paddock Your ESMART M
your **universal remote cont**
infrared remote control, you
remote control. So you can
theater with just one remote

	Image size in cm	Housing (WxHxD)	Weighting bar	Black Forward	Contrast frame (l/r/u)	Form factor
16:9	160 x 90 (72")	197 x 8.8 x 8.8 cm	170 cm	max. 50 cm	4/4/4 cm	Tetragon
16:9	186 x 105 (84")	223 x 8.8 x 8.8 cm	197 cm	max. 50 cm	4/4/4 cm	Tetragon

ESMART Professional MIMOTO Motor Screen 180''

16:9	203 x 114 (92")	240 x 8.8 x 8.8 cm	214 cm	max. 50 cm	4/4/4 cm	Tetragon
16:9	221 x 125 (100")	258 x 8.8 x 8.8 cm	232 cm	max. 50 cm	4/4/4 cm	Tetragon
16:9	244 x 137 (110")	281 x 8.8 x 8.8 cm	255 cm	max. 50 cm	4/4/4 cm	Tetragon
16:9	266 x 149 (120")	303 x 8.8 x 8.8 cm	277 cm	max. 50 cm	4/4/4 cm	Tetragon
16:9	295 x 165 (133")	332 x 8.8 x 8.8 cm	306 cm	max. 50 cm	4/4/4 cm	Tetragon
16:9	332 x 187 (150")	369 x 12 x 9 cm	343 cm	max. 50 cm	4/4/4 cm	Hexagon

ESMART Professional MIMOTO Motor Screen 180''

16:9	400 x 225 (180")	437 x 12 x 9 cm	411 cm	max. 50 cm	4/4/4 cm	Hexagon
16:9	442 x 249 (200")	479 x 12 x 9 cm	453 cm	max. 50 cm	4/4/4 cm	Hexagon

AH355 USB 3.2 Gen 1 Flash Drive

Spec

- **Product Name**
  AH355
- **Color**
  Mysterious Black
- **Capacity**
  64 GB
- **Interface**
  USB 3.2 Gen1
- **Power Supply**
  USB bus powered; No external power required
- **Systems Supported**

- Windows 10/8.1/8
- Mac OS 10.6.X or above
- Linux Kernel 2.6.X or above

- **Functionality**

  Plug & Play

- **Operating Temperature**

  0°C to +60°C (32°F to 140°F)

- **Storage Temperature**

  -20°C to +60°C (-4°F to +140°F)

- **Dimensions**

  (L)56.05x(W)18x(H)8.5mm

- **Weight**

  7.8g

- **Certificate**

  CE, FCC, BSMI, RCM

SIGURIA
KOMPANIA E SIGURIMEVE

Deklaratë e garantuesit

GARANCI KONTRATE
POLICA NR. 070010460007951

Për: MINISTRIA E SHENDETESISE
(në vazhdim: "autoriteti kontraktues")

Në emër të: Pattern SH.P.K.
(në vazhdim "tenderuesi")

Titulli i prokurimit: Furnizim me pajisje te IT-se për nevojat e MSh-se

Numri i Prokurimit: 206-24-4729-1-3-6

Garancion me kërkesë te pare

DERISA operatori ekonomik i lartcekur, ka ndërmarrë veprimet për të dorëzuar një siguri të ekzekutimit duke iu referuar Dosjes së Tenderit, me numër të prokurimit të lartcekur të dërguar nga Autoriteti Kontraktues.

DHE NGASE operatori ekonomik dëshiron të depozitoi sigurinë në shumën e saktësuar në Dosjen e Tenderit

DHE NGASE jemi pajtuar t'i japim Operatorit Ekonomik këtë siguri:

ANDAJ NE të poshtënënshkruarit, me këtë konfirmojmë se jemi Garantues dhe përgjegjës para jush, në emër të Operatorit Ekonomik, deri në një shumë totale prej 553.60 € Pes qinde e Pesedhjete e Tre e Gjasht / njeqind Euro zotohemi të ju paguajmë, që me kërkesën tuaj të parë me shkrim në të cilën deklarohet mospërmbushja e njërit nga kushtet në vijim :

- Autoriteti kontraktues ka konstatuar në bazë të dëshmive të vërtetueshme objektivisht se Operatori Ekonomik ka dështuar që të ekzekutoi kontratën e nënshkruar dhe kjo i ka shkaktuar autoritetit kontraktues dëme substanciale dhe/ose shpenzime të mëdha për mbylljen e kontratës në fjalë; dhe

- Operatori Ekonomik ka dështuar që të ekzekutoi kontratën e nënshkruar, dhe si rezultat i sajë kanë mbet pa u paguar shumë punëtor, nënkontraktor dhe / ose furnizues të materialeve.

Pagesa në shumën e limituar prej 553.60 € siç është thënë më lart, do të bëhet pa asnjë kundërshtim as ankesë, sa ma shpejtë që është e mundur pas regjistrimit të kërkesës suaj me konfirmimin "e pranimit".

Kjo siguri vlen deri me daten 08.10.2024

Nënshkrimi dhe vula e garantuesit
Kompania e Sigurimeve "SIGURIA"
Emri i institucionit financiar

Adresa: Rr. Luan Haradinaj Llamella A, Prishtine

Data: 09.8.2024